



FOUNDATION PLAN

SLAB ON GRADE FOR PARKING APRON
 152 SLAB c/w 10M@400 BOTH WAY
 250MM TOP COVER FOR MINIMUM 25%
 REINFORCEMENT ON 150 COMPACTED
 GRANULAR (19mm CRUSHER RUN
 LIMESTONE) ON COMPACTED SUBGRADE.
 PROVIDE DRAINAGE TO APRON.
 SLOPE SLAB TO DRAIN. PROVIDE FLOOR
 HARDENER TO OWNER'S APPROVAL.

SLAB ON GRADE FOR PLANT
 152 SLAB 30 MPa CONCRETE c/w 10M@400
 (OR MINIMUM 25 M/CLM STEEL FIBRE
 TO MANUF. RECOMMENDATIONS) ON 150
 COMPACTED GRANULAR (19mm CRUSHER
 RUN LIMESTONE) ON COMPACTED SUBGRADE.
 PROVIDE DRAINAGE TO APRON. SLOPE
 SLAB TO DRAIN. PROVIDE FLOOR
 HARDENER TO OWNER'S APPROVAL.

SLAB ON GRADE
 100 SLAB c/w 132X152/M 187/187
 (19mm CRUSHER RUN LIMESTONE) ON
 COMPACTED SUBGRADE. DETAILS SEE SOIL REPORT

NO.	DATE	PRINTS ISSUED
1	6/1/2010	ISSUE FOR TENDER

NO.	DATE	REVISIONS TO DRAWING
1		

<p>Do not scale drawings. Check and verify all dimensions and report all errors and omissions to the architect before proceeding with the work.</p> <p>A Detail No. B Sheet No. where detailed.</p>	<p>SWS ENGINEERING INC. 1100 CENTRAL PARKWAY WEST, UNIT 15, 2ND FL. MISSISSAUGA, ON L5C 4E5 TEL: (905) 272-1388 FAX: (905) 272-8254</p> <p>PROJECT ATTRIDGE TRANSPORT OFFICE 4-4100 HARVESTER ROAD BURLINGTON, ONTARIO</p> <p>CLIENT _____</p>
--	--

<p>DRAWING FOUNDATION PLAN</p> <p>SCALE 1:100 DATE APRIL 19, 2010 DRAWN BY LV CHECKED BY SW PROJECT NO. 10072</p>	<p>DATE APRIL 19, 2010 DRAWING NO. 52.1</p>
---	---

