GROUND FLOOR PLAN

1 / A201 — 1:100

MEZZANINE LEVEL

2 / A201 — 1:100

FIRE PROTECTION LEGEND:

- UNRATED FIRE SEPARATION (WALL)
- 1 hr. FIRE RATING MEZZANINE SUPPORTING WALLS & STRUCTURE)
- 45 minute MIN. FIRE SEPARATION (WALL)
- 60 minute MIN. FIRE SEPARATION (WALL)
- 2 hr. FIRE SEPARATION (WALL)

- UNRATED FIRE SEPARATION (CEILING)
- 1-HR FIRE RATING (MEZZANINE FLOOR)
- 1 hr. FIRE SEPARATION (CEILING)
- 2 hr. FIRE SEPARATION (GROUND FLOOR)
- 45-HR FIRE SEPARATION (GROUND FLOOR)
- 2 hr. FIRE RATING

- O.L.=? — OCCUPANT LOAD
- EXIT LOCATION/ DIRECTION
- (R.E.C.) — REQUIRED EXIT CAPACITY/ #P.
- SPRINKLERED AREA TO PERMIT INTERCONNECTED FLOOR SPACE

3365 SOUTH SERVICE ROAD, BURLINGTON, ONTARIO, L7N 3J5
P: (905) 639-7753 F: (905) 333-9464 E: info@fabiani.ca

DRAWING No.: A201

PROJECT No.: 09084

SET No.:

DRAWN BY: LMP
CHECKED BY: F.F.
DATE: APR.'10
SCALE: AS NOTED

PROJECT NAME: ATTRIDGE TRANSPORT NEW OFFICES

DRAWING NAME: FIRE SEPARATIONS

PROJECT OWNER:

ONTARIO ASSOCIATION OF ARCHITECTS — FERNANDO FABIANI LICENCE 3093

FABIANI ARCHITECT LTD.

STATUS: PROPOSAL / REVIEW / PERMIT / CONSTRUCTION / AS BUILT / OTHER:

No.	DESCRIPTION	DATE
1.	ISSUED FOR REVIEW	APR.'10
2.	ISSUED FOR TENDER	JUNE
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		

REVISIONS:

GENERAL NOTES:
1. USE FIGURED DIMENSIONS IN PREFERENCE TO SCALING.
2. VERIFY AND CHECK ALL DIMENSIONS PRIOR TO AND DURING CONSTRUCTION.
3. DETERMINE LOCATIONS OF ALL EXISTING SERVICES.
4. PLANS ARE IN CONFORMANCE WITH THE ONTARIO BUILDING CODE.
ANY CHANGES, DISCREPANCIES, OR SUBSTITUTIONS SHALL BE REPORTED TO AND RECEIVED BY THE ARCHITECT BEFORE PROCEEDING.

NORTH — NOTIONAL